

Material Safety Data Sheet

according to 1907/2006/EC, Article 31




Printing date 02/13/2018



Reviewed on 01/25/2018

1 Identification

- **Product identifier**
- **Trade name:** Servoplan Ki 1
- **Application of the substance / the mixture** *self-levelling flooring compound*
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:** *Kiesel Bauchemie GmbH & Co. KG
Wolf-Hirth-Str. 2
D-73730 Esslingen
Germany
E-Mail:
info.canada@kiesel.com
info.usa@kiesel.com*
- **Information department:** *Laboratory, departments of enviromental protection and labor protection*
- **Emergency telephone number:** *ChemTel Expert Assiatance Hotline 800-255-2824*

2 Hazard(s) identification

- **Classification of the substance or mixture**
 -  **GHS08 Health hazard**
Carcinogenicity - Category 1A H350 May cause cancer.
 -  **GHS05 Corrosion**
Serious Eye Damage - Category 1 H318 Causes serious eye damage.
 -  **GHS07**
Skin Irritation - Category 2 H315 Causes skin irritation.
- **Label elements**
- **GHS label elements** *The product is classified and labeled according to the Globally Harmonized System (GHS).*
- **Hazard pictograms**

GHS05 GHS08
- **Signal word** *Danger*
- **Hazard-determining components of labeling:** *Quarzsand
Portlandement-Klinker (chromatarm TRGS 613)*
- **Hazard statements** *Causes skin irritation.
Causes serious eye damage.
May cause cancer.*
- **Precautionary statements** *Keep out of reach of children.
Obtain special instructions before use.*

(Contd. on page 2)

Material Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 02/13/2018

Reviewed on 01/25/2018

Trade name: Servoplan Ki 1

(Contd. of page 1)

Do not handle until all safety precautions have been read and understood.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin: Wash with plenty of water.

IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

IF exposed or concerned: Get medical advice/attention.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

If skin irritation occurs: Get medical advice/attention.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Hazard description:

· WHMIS classification

D2B - Toxic material causing other toxic effects



· Classification system:

· NFPA ratings (scale 0 - 4)



Health = 0

Fire = 1

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 0

Fire = 1

Reactivity = 0

3 Composition/information on ingredients

· Composition/Information on ingredients

· Chemical characterization: Mixtures

· Dangerous components:

CAS: 14808-60-7	Quarzsand ☠ Carcinogenicity - Category 1A, H350	10-30% w/w
CAS: 65997-16-2	Tonerdeschmelzzement ⚠ Skin Irritation - Category 2, H315; Eye Irritation - Category 2A, H319	10-30% w/w
CAS: 65997-15-1	Portlandzement-Klinker (chromatarm TRGS 613) ⚠ Serious Eye Damage - Category 1, H318 ⚠ Skin Irritation - Category 2, H315; Specific Target Organ Toxicity - Single Exposure - Category 3, H335	5-10% w/w

· Additional information: **Have also a look to point 8 "Exposure controls and personalprotection"**

(Contd. on page 3)

Material Safety Data Sheet
according to 1907/2006/EC, Article 31

Printing date 02/13/2018

Reviewed on 01/25/2018

Trade name: Servoplan Ki 1

(Contd. of page 2)

For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- **Description of first aid measures**
- **General information:** *If you feel unwell, seek medical advice. Immediately remove any clothing soiled by the product.*
- **After inhalation:** *Do not breathe dust. Inhalation of dusts causes irritation and swelling of respiratory ducts. In case of unconsciousness place patient stably in side position for transportation.*
- **After skin contact:** *Immediately wash with water and soap and rinse thoroughly. Immediately rinse with water.*
- **After eye contact:** *Rinse opened eye for several minutes under running water. Then consult a doctor.*
- **After swallowing:** *The decision whether to provoke vomiting or not is to be taken by a physician.*
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** *No further relevant information available.*
- **Indication of any immediate medical attention and special treatment needed** *No further relevant information available.*

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** *The product itself does not burn. CO₂, extinguishing powder or water spray. Fight larger fire with alcohol resistant foam. Use fire fighting measures that suit the environment.*
- **Special hazards arising from the substance or mixture** *Formation of toxic gases is possible during heating or in case of fire.*
- **Advice for firefighters**
- **Protective equipment:** *Wear non-circulation breathing equipment and chemical-protective clothing. Do not inhale explosion gases or fire fumes.*

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures** *Ensure adequate ventilation*

(Contd. on page 4)

Material Safety Data Sheet
according to 1907/2006/EC, Article 31

Printing date 02/13/2018

Reviewed on 01/25/2018

Trade name: Servoplan Ki 1

(Contd. of page 3)

- **Environmental precautions:** **Avoid formation of dust.**
- **Methods and material for containment and cleaning up:** **Respirator must be worn if exposed to dust.**
- **Reference to other sections:** **No special measures required.**
- **Methods and material for containment and cleaning up:** **Use neutralizing agent.**
- **Reference to other sections:** **Dispose contaminated material as waste according to item 13.**
- **Reference to other sections:** **hardened after contact with water**
- **Reference to other sections:** **See Section 7 for information on safe handling.**
- **Reference to other sections:** **See Section 8 for information on personal protection equipment.**
- **Reference to other sections:** **See Section 13 for disposal information.**

7 Handling and storage

- **Handling:**
- **Precautions for safe handling:** **Thorough dedusting.**
- **Precautions for safe handling:** **Keep receptacles tightly sealed.**
- **Precautions for safe handling:** **Ensure good ventilation/exhaustion at the workplace.**
- **Precautions for safe handling:** **Open and handle receptacle with care.**
- **Precautions for safe handling:** **Avoid contact with skin and eyes.**
- **Precautions for safe handling:** **Do not breathe dust.**
- **Precautions for safe handling:** **Breathing apparatus only if aerosol or dust is formed.**
- **Precautions for safe handling:** **protected above to humidity**
- **Information about protection against explosions and fires:** **Keep respiratory protective device available.**
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** **protected above to humidity in closing rooms**
- **Information about storage in one common storage facility:** **No incompatible products to be specially mentioned**
- **Further information about storage conditions:** **Keep away from food and drink.**
- **Further information about storage conditions:** **Keep receptacle tightly sealed.**
- **Specific end use(s):** **No further relevant information available.**

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** **No further data; see item 7.**
- **Control parameters**

- **Components with limit values that require monitoring at the workplace:**

CAS: 65997-15-1 Portlandzement-Klinker (chromatarm TRGS 613)

EL (Canada) Long-term value: 1 mg/m³ respirable

(Contd. on page 5)

Material Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 02/13/2018

Reviewed on 01/25/2018

Trade name: Servoplan Ki 1

(Contd. of page 4)

EV (Canada)	Long-term value: 10(D) mg/m ³ total dust
PEL (USA)	Long-term value: 50 mppcf or 15* 5** mg/m ³ *total dust **respirable fraction
REL (USA)	Long-term value: 10* 5** mg/m ³ *total dust **respirable fraction
TLV (USA)	Long-term value: 1* mg/m ³ E; *as respirable fraction

- **Additional information:** *The lists that were valid during the creation were used as basis.*

- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:** *Do not eat or drink while working.
Keep away from foodstuffs, beverages and feed.
Immediately remove all soiled and contaminated clothing.
Wash hands before breaks and at the end of work.
Store protective clothing separately.
Avoid contact with the skin.
Avoid contact with the eyes and skin.*

- **Breathing equipment:** *Breathing apparatus only if aerosol or dust is formed.
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.*

- **Protection of hands:** *Protective gloves
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation*

- **Material of gloves** *The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
Rubber gloves*

- **Penetration time of glove material** *The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.*

- **Eye protection:** *Tightly sealed goggles.*
- **Body protection:** *long sleeved clothing*

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **Appearance:**
- Form:** *Powder*

(Contd. on page 6)

Material Safety Data Sheet

according to 1907/2006/EC, Article 31

Printing date 02/13/2018

Reviewed on 01/25/2018

Trade name: Servoplan Ki 1

(Contd. of page 5)

· Color:	Dark grey
· Odor:	Characteristic
· Odor threshold:	Not determined.
· pH-value at 20 °C:	12
· Change in condition	
Melting point/Melting range:	undetermined
Boiling point/Boiling range:	not apply
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Not determined.
· Ignition temperature:	n. a. °C
· Decomposition temperature:	Not determined.
· AUTO IGNITION:	Not self igniting
· Danger of explosion:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	n. a. Vol %
Upper:	Not determined.
· Vapor pressure:	Not applicable.
· Density at 20 °C:	1.35 g/cm³
· Relative density	Not determined.
· Vapor density	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with Water:	is setting hydraulically
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
· Solvent content:	
Organic solvents:	0.0 %
VOC-Content	0.00 %
· Other information	The physical data are average values.

10 Stability and reactivity

- **Reactivity** **No further relevant information available.**
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** **entrance of moisture
No decomposition if used and stored according to specifications.**
- **Possibility of hazardous reactions** **No dangerous reactions known.**
- **Conditions to avoid** **No further relevant information available.**

(Contd. on page 7)

Material Safety Data Sheet
according to 1907/2006/EC, Article 31

Printing date 02/13/2018

Reviewed on 01/25/2018

Trade name: Servoplan Ki 1

(Contd. of page 6)

- **Incompatible materials:** *No decomposition if stored and applied as directed.*
- **Hazardous decomposition products:** *none under normal use*

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **Primary irritant effect:**
- **on the skin:** *Irritant to skin and mucous membranes.*
- **on the eye:** *Strong irritant with the danger of severe eye injury.*
- **Sensitization:** *No sensitizing effects known.*
- **Experience with humans:** *If appropriately handled and if in accordance with the general hygienic rules, no damages to health have become known. The product contains cement. In combination with humidity the product provokes an alkaline reaction. May cause eye/skin irritation.*
- **Additional toxicological information:** *According to concentration, aqueous solution causes irritations or burns of eyes, skin and mucous membranes. The product shows the following dangers according to internally approved calculation methods for preparations: Irritant*

- **Carcinogenic categories**

- **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

- **NTP (National Toxicology Program)**

None of the ingredients is listed.

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** *No further relevant information available.*
- **Persistence and degradability** *No further relevant information available.*
- **Behavior in environmental systems:**
- **Bioaccumulative potential** *No further relevant information available.*
- **Mobility in soil** *No further relevant information available.*
- **Ecotoxicological effects:** *only by unintentional binding with much material and water is a highly pH-value possible*
- **Additional ecological information:**
- **General notes:** *Ecological injuries are not known or expected under normal use. Water hazard class 1 (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.*

(Contd. on page 8)

Material Safety Data Sheet
according to 1907/2006/EC, Article 31

Printing date 02/13/2018

Reviewed on 01/25/2018

Trade name: Servoplan Ki 1

(Contd. of page 7)

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.

- **Results of PBT and vPvB assessment**
- **PBT:** **Not applicable.**
- **vPvB:** **Not applicable.**
- **Other adverse effects** **No further relevant information available.**

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation:** **Disposal according to official regulations**
- **Uncleaned packagings:**
- **Recommendation:** **Empty containers should be taken for local recycling, recovery or waster disposal.**

14 Transport information

- | | |
|--|---|
| · UN-Number | Void |
| · DOT, TDG, ADN, IMDG, IATA | Void |
| · UN proper shipping name | Void |
| · DOT, TDG, ADN, IMDG, IATA | Void |
| · Transport hazard class(es) | Void |
| · DOT, TDG, ADN, IMDG, IATA | Void |
| · Class | Void |
| · Packing group | Void |
| · DOT, TDG, IMDG, IATA | Void |
| · Environmental hazards: | |
| · Marine pollutant: | No |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| · Transport/Additional information: | Not dangerous according to the above specifications. |
| · UN "Model Regulation": | Void |

CA

(Contd. on page 9)

Material Safety Data Sheet
according to 1907/2006/EC, Article 31

Printing date 02/13/2018

Reviewed on 01/25/2018

Trade name: Servoplan Ki 1

(Contd. of page 8)

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

CAS: 65997-16-2 Tonerdeschmelzzement

CAS: 65997-15-1 Portlandzement-Klinker (chromatarm TRGS 613)

CAS: 144-55-8 Natriumhydrogencarbonat

CAS: 10377-48-7 Lithiumsulfat

· MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS05 GHS08

· Signal word

Danger

· Hazard-determining components of labeling:

Quarzsand
Portlandzement-Klinker (chromatarm TRGS 613)

· Hazard statements

Causes skin irritation.
Causes serious eye damage.
May cause cancer.

· Precautionary statements

Keep out of reach of children.
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Wash thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.
If on skin: Wash with plenty of water.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Immediately call a poison center/doctor.
IF exposed or concerned: Get medical advice/attention. Specific treatment (see on this label).
Take off contaminated clothing and wash it before reuse.
If skin irritation occurs: Get medical advice/attention.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 10)

Material Safety Data Sheet
according to 1907/2006/EC, Article 31

Printing date 02/13/2018

Reviewed on 01/25/2018

Trade name: Servoplan Ki 1

(Contd. of page 9)

- **National regulations:**
- **Additional classification according to Decree on Hazardous Materials:** **Carcinogenic hazardous material group III (dangerous).**
- **Information about limitation of use:** **Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.**
- **Chemical safety assessment:** **A Chemical Safety Assessment has not been carried out.**

16 Other information

Chapters which have been revised from the previous issue are marked "***".

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

To the best of our knowledge, the information contained in this MSDS is accurate. It is intended to assist the user in his evaluation of the product's hazards, and safety precautions to be taken in its use. The data on this MSDS relate only to the specific material designated herein. We do not assume any liability for the use, or reliance in this information, nor do we guarantee its accuracy or completeness.

- **Relevant phrases**
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H350 May cause cancer.
- **Date of preparation / last revision**
02/13/2018 / 30
- **Abbreviations and acronyms:** **IMDG: International Maritime Code for Dangerous Goods**
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
WHMIS: Workplace Hazardous Materials Information System (Canada)
VOC: Volatile Organic Compounds (USA, EU)
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
- *** Data compared to the previous version altered.**