1. Identification

A. Product name : ANYCOLOR(SF) OXIDE RED (13%)
  ○ Usage category : Oil paint

B. Recommended Use and Restriction on Use
  ○ General use : SOLVENT FREE EPOXY COLORANT
  ○ Restriction on use : Restricted to use other than recommended use

C. Manufacturer / Supplier / distributor information
  ○ Company name : NOROO Paint & Coatings Co., Ltd.
  ○ Address : 351, Bakdal-ro, Manan-gu, Anyang-si, Gyeonggi-do, Korea
  ○ Emergency telephone number : +82-31-467-6114

D. AU Importer
  ○ Company Name: Synergy Building Supplies
  ○ Address: 236 PLANET ST WELSHPOOL WA 6106
  ○ Emergency Telephone Number: 1300 655 853

2. Hazard identification

A. GHS Classification
  Acute toxicity (inhalation: vapor) Category 4
  Carcinogenicity Category 2
  Reproductive toxicity Category 1B
  Germ cell mutagenicity Category 2
  Chronic aquatic toxicity Category 2
  Serious eye damage/irritation Category 2A
  Skin sensitization Category 1
  Skin corrosion/irritation Category 2
  Flammable liquids Category 4

B. GHS label elements
  ○ Hazard symbols



  ○ Signal words : DANGER
  ○ Hazard statements :
    H332 Harmful if inhaled
    H351 Suspected of causing cancer
    H360 May damage fertility or the unborn child
    H341 Suspected of causing genetic defects
    H411 Toxic to aquatic life with long lasting effects
    H319 Causes serious eye irritation
    H317 May cause an allergic skin reaction
    H315 Causes skin irritation
    H227 Flammable liquid
  ○ Precautionary statements
    - Prevention
      P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
      P271 Use only outdoors or in a well-ventilated area.
      P201 Obtain special instructions before use.
      P202 Do not handle until all safety precautions have been read and understood.
      P280 Wear protective gloves/protective clothing/eye protection/face protection.
      P273 Avoid release to the environment.
      P264 Wash hands and contact areas thoroughly after handling.
      P272 Contaminated work clothing should not be allowed out of the workplace.

P210 Keep away from heat, hot surfaces, sparks, open flames and other sources of ignition. no smoking

- Response

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P312 Call a POISON CENTER or doctor/physician if you feel unwell.
P308+P313 If exposed or concerned: Get medical advice / attention.
P391 Collect spillage.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists, get medical attention / attention.
P302+P352 IF ON SKIN: Wash with plenty of soap and water.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P321 Specific treatment
P362+P364 Take off contaminated clothing and wash before reuse.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P370+P378 In case of fire: Use Suitable extinguishing media for extinction(Refer Section MSDS 5).

- Storage

P405 Save by locking.
P403 Store in a well-ventilated place.

- Disposal

P501 Dispose of the contents and containers in accordance with waste-related laws.

C. Other hazards which do not result in classification : (NFPA Classification)

NFPA grade Chemical Name	Health	Flammability	Reactivity	GHS Classification
2,2-Bis(4'-glycidyloxyphenyl)propane	2	2	0	H315, H317, H319, H411
Iron oxide	1	0	0	NO DATA
(Butoxymethyl)oxirane	3	2	1	H227, H315, H317, H319, H341, H411
Hydrogenated hydrocarbons (C=6-20) polymers	1	1	0	NO DATA
Trade secret	NO DATA	NO DATA	NO DATA	NO DATA
Dodecylphenol, mixed isomers	NO DATA	NO DATA	NO DATA	H319, H360, H411
Benzyl alcohol	2	1	0	H317, H332
2-Butoxyethanol	3	2	0	H227, H315, H319, H332

3. Composition/information on ingredients

Chemical Name	Trade names and Synonyms	CAS-NO	Content(%)
2,2-Bis(4'-glycidyloxyphenyl)propane	2,2-Bis(4'-glycidyloxyphenyl)propane	1675-54-3	69～79
Iron oxide	Iron oxide	1332-37-2	12～22
(Butoxymethyl)oxirane	(Butoxymethyl)oxirane	2426-08-6	1～10
Hydrogenated hydrocarbons (C=6-20) polymers	Hydrogenated hydrocarbons (C=6-20) polymers	69430-35-9	1～10
Trade secret	-	-	1～10
Benzyl alcohol	Benzyl alcohol	100-51-6	1～10

Dodecylphenol, mixed isomers	Dodecylphenol, mixed isomers	27193-86-8	1～10
2-Butoxyethanol	2-Butoxyethanol	111-76-2	1～10

4. First-aid measures

A. Eye Contact : Flush exposed eyes with plenty of water for more than 15minutes.
If irritation, pain, swelling, tears or glaring happens, take medical assistant immediately

B. Skin Contact : Remove exposed clothing, and wash off exposed area with soap and water.
If symptoms like irritation or pain occurs, take medical assistant immediately.
Wash off with soap and water for more than 15 minutes. And take medical assistant immediately.

C. Inhalation : Avoid from exposure, and move into an area with fresh air.
If not breathing, perform the artificial respiration.
If inhalated or swallowed, do not perform the inhalation phase of breathing
Perform the artificial respiration, using the pocket mask with one way valves or other respiratory medical devices.
If hard to breathe, administering oxygen
Remove contaminated clothing and shoes, and isolate it.
Take a medical assistant immediately.

D. Ingestion Contact : Please be advised by doctor whether induction of vomit is demanded or not.
vomiting occurs, keep head below hips to prevent aspiration into lungs.
If ingested large quantity, take medical assistant.
Take proper medical assistant by symtoms.
It is need to be considered that early removal of some ingested material by gastric lavage must be weighed against potential complications of bleeding or perforation

E. Notes to Physician : Notify medical personnel of contaminated situations and have them take appropriate protective measures.

5. Fire-fighting measures

A. Suitable (Unsuitable) extinguishing media
○ Suitable extinguishing media : Powder extinguishing agent, gaseous Extinguishing Agent, and regular foam.
○ (Unsuitable) extinguishing media : Avoid digestion using direct water.
○ Case of big fire : Spread large amount of the extinguishing agent as a mist form with staying against wind.
Stay away more than 800m to avoid tank explosion.
Use appropriate protective device depend on the situation.

B. Specific hazards arising from the chemical
○ Pyrolysate : Carbon dioxide, toxic carbon compounds/Nitrogen compounds/sulfur compounds
○ Fire and Explosion danger : Risk of medium-sized fire.

C. Special protective actions for fire-fighters
○ Personal Precautions, protective equipment : Gas mask or air respirator, heat resistant clothing, heat resistant helmet, heat resistant gloves, heat resistant boots
○ Emergency procedures : Use appropriate extinguishing agents to catch fire.
If there is no risk, moving containers away from fire.
Cooling containers with water long time after extinguish fire.
Block the area except for the fire-suppression personnel.

6. Accidental release measures

A. Personal Precautions, protective equipment and emergency procedures

○ Personal Precautions, protective equipment : Appropriate protective equipment / protection / protective gloves
○ Emergency procedures : Take an action to block the leakage if there is no risk.
Spray water to reduce amount of steam.
The operator should wear appropriate protective equipment (see section "8. Exposure Protection and Personal Protection") to avoid contact with the eyes and skin and inhalation.

B. Environmental precautions
○ Atmosphere : Do install the local ventilations and full ventilation system
Using local ventilation to Minimize the exposure to worker.
○ Soil : Trap spilled material at bottom in deep water pockets, excavated holding areas or within sand bag barriers.
Use absorbent to collect the appropriate container.
○ Under water : Use absorbent to collect the appropriate container.
Collect spilled material with mechanic devices

C. Methods and materials for containment and cleaning up
○ Small spill : Absorb for use sand or other non-combustible material.
Move to appropriate container for disposal of spilled material collected.
○ Large spill : Prohibit access of unnecessary people, isolate hazard area to secure.
Notify to central and local government, when emissions are above regulation.

7. Handling and storage

A. Precautions for safe handling : Keep or handle followed by Dangerous goods Safety Management Act
Ground for preventing the static discharge
Seal the container for minimizing the petroleum steam
Use local ventilations and a full ventilation system when handling

B. Conditions for safe storage, including any incompatibilities : Because of evaporation and contamination concerns, airtight the container and store in a well-ventilated building.
Avoid direct sunlight while storing outdoor.
Storage temperature: 5 ~ 35 ℃
Avoid strong oxidizing agents, acid.
Store at appropriate temperature according to the isolation location, freezing caution, high temperature body caution.

8. Exposure controls/personal protection

A. Exposure Limits
○ 2,2-Bis(4'-glycidyloxyphenyl)propane
- ACGIH : NO DATA
- Biological exposure indices : NO DATA

○ Iron oxide
- ACGIH : NO DATA
- Biological exposure indices : NO DATA

○ (Butoxymethyl)oxirane
- ACGIH : NO DATA
- Biological exposure indices : NO DATA

○ Hydrogenated hydrocarbons (C=6-20) polymers
- ACGIH : NO DATA
- Biological exposure indices : NO DATA

○ Trade secret
- ACGIH : NO DATA
- Biological exposure indices : NO DATA

○ Dodecylphenol, mixed isomers
- ACGIH : NO DATA
- Biological exposure indices : NO DATA

○ Benzyl alcohol
- ACGIH : NO DATA
- Biological exposure indices : NO DATA

○ 2-Butoxyethanol
- ACGIH : TWA, 20 ppm (97 mg/m3)
- Biological exposure indices : While urinating Butoxyacetic acid (BAA)(with hydrolysis) : 200 mg/g creatinine(After work)

B. Engineering Controls :
▷ Do install the local ventilations and full ventilation system
▷ Using local ventilation to Minimize the exposure to worker.
▷ NO DATA
▷ NO DATA

C. Personal Protective Equipment
○ Respiratory protection : Respirators should be authorized by Korea Occupational Safety and Health Agency
Unknown concentration or other life threating danger is imminent: Supplied air respirator(Hybrid airline respirator), and Self contained breathing apparatus(full face)
○ Eye protection : Install washing facilities and an emergency washing facilities close to workplace.
Let workers do wear the safety glasses in case hazard caused by mist may be expected.
○ Hand protection : NO DATA
○ Skin protection : NO DATA

9. Physical and chemical properties

A. Appearance : Liquid

B. Odor : Specific Odor

C. Odor threshold : NO DATA

D. PH : NO DATA

E. Melting point/Freezing point(℃) : NO DATA

F. Initial Boiling Point/Boiling Ranges(℃) : 171℃

G. Flash point(℃) : 74

H. Evaporating Rate : NO DATA

I. Flammability(solid, gas) : NON Flammable

J. Upper/Lower Flammability or explosive limits : NO DATA

K. Vapour pressure : NO DATA

L. Solubility : Water insoluble

M. Vapour density : NO DATA

N. Specific gravity : NO DATA

O. Partition coefficient of n-octanol/water : NO DATA

P. Autoignition temperature(℃) : 425

Q. Decomposition temperature(℃) : NO DATA

R. Viscosity : 90~110KU

S. Molecular weight : NO DATA

10. Stability and reactivity

A. Chemical stability : NO DATA

B. Possibility of hazardous reactions : Do not contact with heat, spark, flame or other flammable sources
Avoid contaminants and friction

C. Conditions to avoid : Oxidation agent, metal and combustable materials

D. Hazardous decomposition products : Thermal decomposition products (carbon etc.,)

11.Toxicological information

A. Information on the likely routes of exposure
- ○ Respiratory tracts : Adverse lung effects, Dyspnoea, Hypothermia, Vomitting
- ○ Oral : Vomitting, Diarrhea, Stomach pain, Irregular heartbeat
- ○ Skin : Irritation, Burn, Adverse nerve effects
- ○ Eye : Irritation, eye damage

B. Delayed and immediate effects and also chronic effects from short and long term exposure
- ○ 2,2-Bis(4'-glycidyloxyphenyl)propane
  - Acute toxicity
    Oral : LD50 15600 ㎎/㎏ Other (Other)
    Dermal : LD50 20000 ㎎/㎏ Rabbit
    Inhalation : LD50 20000 ㎎/㎏ Rabbit
  - Skin corrosion/irritation : weakstimulus(500mg, rabbit)
  - Serious eye damage/irritation : Severe irritation(2mg, 24 시간, rabbit)
  - Respiratory sensitization : NO DATA
  - Skin sensitization : NO DATA
  - Carcinogenicity
    IARC : Group 3
    OSHA : NO DATA
    ACGIH : NO DATA
    NTP : NO DATA
    EU CLP : NO DATA
  - Germ cell mutagenicity : NO DATA
  - Reproductive toxicity : NO DATA
  - STOT-single exposure : NO DATA
  - STOT-repeated exposure : NO DATA
  - Aspiration hazard : NO DATA
- ○ Iron oxide
  - Acute toxicity
    Oral : NO DATA
    Dermal : NO DATA
    Inhalation : NO DATA
  - Skin corrosion/irritation : NO DATA
  - Serious eye damage/irritation : NO DATA
  - Respiratory sensitization : NO DATA
  - Skin sensitization : NO DATA
  - Carcinogenicity
    IARC : NO DATA
    OSHA : NO DATA
    ACGIH : NO DATA

NTP : NO DATA
EU CLP : NO DATA
- Germ cell mutagenicity : NO DATA
- Reproductive toxicity : NO DATA
- STOT-single exposure : NO DATA
- STOT-repeated exposure : NO DATA
- Aspiration hazard : NO DATA

○ (Butoxymethyl)oxirane
- Acute toxicity
Oral : LD50 = 1660 ㎎/㎏ Rat
Dermal : LD50 = 788 ㎎/㎏ Rabbit
Inhalation : LD50 = 788 ㎎/㎏ Rabbit
- Skin corrosion/irritation : weakstimulus(454mg, 3day, rabbit), usuallystimulus(20mg, 24H, rabbit) skin - stimulus
- Serious eye damage/irritation : Severe irritation(750ug, 24hr, rabbit), Mild irritant(91mg, rabbit)
- Respiratory sensitization : NO DATA
- Skin sensitization : Skin sensitization in humans have been reported
- Carcinogenicity
IARC : NO DATA
OSHA : NO DATA
ACGIH : NO DATA
NTP : NO DATA
EU CLP : Carc.2
- Germ cell mutagenicity : Using Mouse Micronucleus test result Positive
- Reproductive toxicity : rat micronucleus test : positive
- STOT-single exposure : Irritating people appear to pray
- STOT-repeated exposure : NO DATA
- Aspiration hazard : NO DATA

○ Hydrogenated hydrocarbons (C=6-20) polymers
- Acute toxicity
Oral : NO DATA
Dermal : NO DATA
Inhalation : NO DATA
- Skin corrosion/irritation : NO DATA
- Serious eye damage/irritation : NO DATA
- Respiratory sensitization : NO DATA
- Skin sensitization : NO DATA
- Carcinogenicity
IARC : NO DATA
OSHA : NO DATA
ACGIH : NO DATA
NTP : NO DATA
EU CLP : NO DATA
- Germ cell mutagenicity : NO DATA
- Reproductive toxicity : NO DATA
- STOT-single exposure : NO DATA
- STOT-repeated exposure : NO DATA
- Aspiration hazard : NO DATA

○ Trade secret
- Acute toxicity
Oral : NO DATA
Dermal : NO DATA
Inhalation : NO DATA
- Skin corrosion/irritation : NO DATA
- Serious eye damage/irritation : NO DATA
- Respiratory sensitization : NO DATA

- Skin sensitization : NO DATA
- Carcinogenicity
  IARC : NO DATA
  OSHA : NO DATA
  ACGIH : NO DATA
  NTP : NO DATA
  EU CLP : NO DATA
- Germ cell mutagenicity : NO DATA
- Reproductive toxicity : NO DATA
- STOT-single exposure : NO DATA
- STOT-repeated exposure : NO DATA
- Aspiration hazard : NO DATA

○ Dodecylphenol, mixed isomers
- Acute toxicity
  Oral : NO DATA
  Dermal : NO DATA
  Inhalation : NO DATA
- Skin corrosion/irritation : NO DATA
- Serious eye damage/irritation : NO DATA
- Respiratory sensitization : NO DATA
- Skin sensitization : NO DATA
- Carcinogenicity
  IARC : NO DATA
  OSHA : NO DATA
  ACGIH : NO DATA
  NTP : NO DATA
  EU CLP : NO DATA
- Germ cell mutagenicity : NO DATA
- Reproductive toxicity : NO DATA
- STOT-single exposure : NO DATA
- STOT-repeated exposure : NO DATA
- Aspiration hazard : NO DATA

○ Benzyl alcohol
- Acute toxicity
  Oral : LD50 = 1230 ㎎/㎏ Rat
  Dermal : LD50 = 2000 ㎎/㎏ Rabbit
  Inhalation : LD50 = 2000 ㎎/㎏ Rabbit
- Skin corrosion/irritation : usuallystimulus(100mg, 24H, rabbit)
- Serious eye damage/irritation : Non-irritating(rabbit)
- Respiratory sensitization : NO DATA
- Skin sensitization : NO DATA
- Carcinogenicity
  IARC : NO DATA
  OSHA : NO DATA
  ACGIH : NO DATA
  NTP : NO DATA
  EU CLP : NO DATA
- Germ cell mutagenicity : NO DATA
- Reproductive toxicity : NO DATA
- STOT-single exposure : NO DATA
- STOT-repeated exposure : NO DATA
- Aspiration hazard : NO DATA

○ 2-Butoxyethanol
- Acute toxicity
  Oral : LD50 1414 ㎎/㎏ Guinea pig (OECD TG 401, GLP)
  Dermal : LD50 >2000 ㎎/㎏ Rat (ECHA)
  Inhalation : Vapor LC50 >7.4 ㎎/ℓ 7 hr Rat (ECHA)

- Skin corrosion/irritation : As a result of skin irritation test using rabbits, it is erythema irritation 2, which is not applicable under the GHS standard, but it is sufficient to determine that it is irritating EU Method B.4 (ECHA)
- Serious eye damage/irritation : Eye irritation test results showed conjunctival irritation index 2.6, iritis 0.56, conjunctival edema 1.8, indicating irritation OECD TG405, GLP (ECHA)
- Respiratory sensitization : NO DATA
- Skin sensitization : Skin sensitization test results using guinea pigs non-sensitization (OECD TG 406, ECHA)
- Carcinogenicity
  IARC : Group 3
  OSHA : NO DATA
  ACGIH : A3
  NTP : NO DATA
  EU CLP : NO DATA
- Germ cell mutagenicity : Reverse mutation test using in vitro microorganisms OECD TG471, chromosomal abnormality test using mammalian cells OECD TG473 result negative, micronucleus test using mammalian bone marrow cells in vivo OECD TG474 result negative (ECHA)
- Reproductive toxicity : 2nd generation reproductive toxicity test (NTP) results, NOAEL (parental toxicity) = 720 mg/kg bw/day due to weight loss, fertility, etc., NOAEL (F1, F2) = 720 mg/kg bw/ due to weight loss of offspring day, no effect on reproductive toxicity was observed, developmental toxicity and teratogenic effects were not observed as a result of developmental toxicity test using rats (OECD TG414) NOAEL (development) = 100 mg/kg bw/day, NOAEL (teratogenicity)> 200 mg/kg bw/day (ECHA)
- STOT-single exposure : As a result of respiratory irritation test using mice, RD50 2818 ppm showed minimal or no sensory stimulation (ECHA)
- STOT-repeated exposure : As a result of a 90-day repeated oral toxicity test in rats, OECD TG408 showed some abnormalities in liver and cytoplasm in histopathological findings, but no adverse effects were observed. NOAEL male <69 mg/kg bw/day, NOAEL female <82 mg/kg bw/day 90-day inhalation repeat toxicity test using mice OECD TG413, GLP Results NOAEC <31ppm (ECHA)
- Aspiration hazard : NO DATA

12. Ecological information

A. Ecotoxicity
○ 2,2-Bis(4'-glycidyloxyphenyl)propane
- Fish : NO DATA
- Crustaceans : NO DATA
- Algae : NO DATA

○ Iron oxide
- Fish : NO DATA
- Crustaceans : NO DATA
- Algae : NO DATA

○ (Butoxymethyl)oxirane
- Fish : NO DATA
- Crustaceans : NO DATA
- Algae : NO DATA

○ Hydrogenated hydrocarbons (C=6-20) polymers
- Fish : NO DATA
- Crustaceans : NO DATA
- Algae : NO DATA

○ Trade secret
- Fish : NO DATA
- Crustaceans : NO DATA
- Algae : NO DATA

○ Dodecylphenol, mixed isomers
- Fish : NO DATA

- Crustaceans : NO DATA
- Algae : NO DATA

○ Benzyl alcohol
- Fish : LC50 = 10 ㎎/ℓ 96 hr
- Crustaceans : NO DATA
- Algae : NO DATA

○ 2-Butoxyethanol
- Fish : LC50 1474 ㎎/ℓ 96 hr Oncorhynchus mykiss(OECD Guideline 203)
- Crustaceans : EC50 1800 ㎎/ℓ 48 hr Daphnia magna(OECD TG 202)
- Algae : EC50 911 ㎎/ℓ 72 hr Selenastrum capricornutum(OECD TG 201)

B. Persistence and degradability

○ 2,2-Bis(4'-glycidyloxyphenyl)propane
- Persistence : NO DATA
- Degradability : NO DATA

○ Iron oxide
- Persistence : NO DATA
- Degradability : NO DATA

○ (Butoxymethyl)oxirane
- Persistence : NO DATA
- Degradability : NO DATA

○ Hydrogenated hydrocarbons (C=6-20) polymers
- Persistence : NO DATA
- Degradability : NO DATA

○ Trade secret
- Persistence : NO DATA
- Degradability : NO DATA

○ Dodecylphenol, mixed isomers
- Persistence : NO DATA
- Degradability : NO DATA

○ Benzyl alcohol
- Persistence : log Kow = 1.1
- Degradability : NO DATA

○ 2-Butoxyethanol
- Persistence : 0.81 log Kow (25 ° C, pH=7, BASF standard method)
- Degradability : NO DATA

C. Bioaccumulative potential

○ 2,2-Bis(4'-glycidyloxyphenyl)propane
- Bioaccumulative potential : NO DATA
- Biodegration : NO DATA

○ Iron oxide
- Bioaccumulative potential : NO DATA
- Biodegration : NO DATA

○ (Butoxymethyl)oxirane
- Bioaccumulative potential : NO DATA
- Biodegration : NO DATA

○ Hydrogenated hydrocarbons (C=6-20) polymers
- Bioaccumulative potential : NO DATA
- Biodegration : NO DATA

○ Trade secret
- Bioaccumulative potential : NO DATA
- Biodegration : NO DATA

○ Dodecylphenol, mixed isomers
- Bioaccumulative potential : NO DATA
- Biodegration : NO DATA

○ Benzyl alcohol

- Bioaccumulative potential : NO DATA
- Biodegration : Biodegradability = 94 (%) 28 day (Aerobic, Activated Sludge)

○ 2-Butoxyethanol
- Bioaccumulative potential : NO DATA
- Biodegration : 90.4 % 28 day (OECD TG 301G)

D. Mobility in soil

○ 2,2-Bis(4'-glycidyloxyphenyl)propane
▷ NO DATA

○ Iron oxide
▷ NO DATA

○ (Butoxymethyl)oxirane
▷ NO DATA

○ Hydrogenated hydrocarbons (C=6-20) polymers
▷ NO DATA

○ Trade secret
▷ NO DATA

○ Dodecylphenol, mixed isomers
▷ NO DATA

○ Benzyl alcohol
▷ NO DATA

○ 2-Butoxyethanol
▷ NO DATA

E. Other adverse effects

○ 2,2-Bis(4'-glycidyloxyphenyl)propane
▷ NO DATA

○ Iron oxide
▷ NO DATA

○ (Butoxymethyl)oxirane
▷ NO DATA

○ Hydrogenated hydrocarbons (C=6-20) polymers
▷ NO DATA

○ Trade secret
▷ NO DATA

○ Dodecylphenol, mixed isomers
▷ NO DATA

○ Benzyl alcohol
▷ NO DATA

○ 2-Butoxyethanol
▷ Flsh Danio rerio: NOEC14d>100 mg/L OECD TG 204, Crustacean Daphnia magna: NOEC21d=100 mg/L OECD TG 211 (ECHA)

13. Disposal considerations

A. Disposal methods : Disposal material should keep in the airtighted container, and consign according to Waste Mateial Management Act

B. Special precautions for disposal : Bussiness that discharge business waste shall process them selves, or delegate to waste treatment processor, recycler, or waste treatment operator.
Dispose of waste in accordance with all applicable laws and regulations.

14. Transport information

A. UN number(IMDG CODE/IATA DGR) : 3082

B. Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
(2,2-Bis(4'-glycidyloxyphenyl)propane)

C. Hazard class : 9

D. Packing group(IMDG CODE/IATA DGR) : III

E. Marine pollutant : be applicable

F. Special precautions for user related to transport or transportation measures
Local transport follows in accordance with Dangerous goods Safety Management
Package and transport follow in accordance with Department of Transportation
○ EmS FIRE SCHEDULE : F-A
○ EmS SPILLAGE SCHEDULE : S-F

15. Regulatory information

○ 2,2-Bis(4'-glycidyloxyphenyl)propane
- Information of EU Classification
  ▷ Classification : NO DATA
  ▷ Risk Phrases : NO DATA
  ▷ Safety Phrase : NO DATA
- U.S. Federal regulations
  ▷ OSHA PROCESS SAFETY (29CFR1910.119) : notapplicable
  ▷ CERCLA Section 103 (40CFR302.4) : notapplicable
  ▷ EPCRA Section 302 (40CFR355.30) : notapplicable
  ▷ EPCRA Section 304 (40CFR355.40) : notapplicable
  ▷ EPCRA Section 313 (40CFR372.65) : notapplicable
- Rotterdam Convention listed ingredients : NO DATA
- Stockholm Convention listed ingredients : NO DATA
- Montreal Protocol listed ingredients : NO DATA

○ Iron oxide
- Information of EU Classification
  ▷ Classification : NO DATA
  ▷ Risk Phrases : NO DATA
  ▷ Safety Phrase : NO DATA
- U.S. Federal regulations
  ▷ OSHA PROCESS SAFETY (29CFR1910.119) : notapplicable
  ▷ CERCLA Section 103 (40CFR302.4) : notapplicable
  ▷ EPCRA Section 302 (40CFR355.30) : notapplicable
  ▷ EPCRA Section 304 (40CFR355.40) : notapplicable
  ▷ EPCRA Section 313 (40CFR372.65) : notapplicable
- Rotterdam Convention listed ingredients : NO DATA
- Stockholm Convention listed ingredients : NO DATA
- Montreal Protocol listed ingredients : NO DATA

○ (Butoxymethyl)oxirane
- Information of EU Classification
  ▷ Classification : NO DATA
  ▷ Risk Phrases : NO DATA
  ▷ Safety Phrase : NO DATA
- U.S. Federal regulations
  ▷ OSHA PROCESS SAFETY (29CFR1910.119) : notapplicable
  ▷ CERCLA Section 103 (40CFR302.4) : notapplicable
  ▷ EPCRA Section 302 (40CFR355.30) : notapplicable
  ▷ EPCRA Section 304 (40CFR355.40) : notapplicable
  ▷ EPCRA Section 313 (40CFR372.65) : notapplicable
- Rotterdam Convention listed ingredients : NO DATA
- Stockholm Convention listed ingredients : NO DATA
- Montreal Protocol listed ingredients : NO DATA

○ Hydrogenated hydrocarbons (C=6-20) polymers

- Information of EU Classification
  ▷ Classification : NO DATA
  ▷ Risk Phrases : NO DATA
  ▷ Safety Phrase : NO DATA
- U.S. Federal regulations
  ▷ OSHA PROCESS SAFETY (29CFR1910.119) : notapplicable
  ▷ CERCLA Section 103 (40CFR302.4) : notapplicable
  ▷ EPCRA Section 302 (40CFR355.30) : notapplicable
  ▷ EPCRA Section 304 (40CFR355.40) : notapplicable
  ▷ EPCRA Section 313 (40CFR372.65) : notapplicable
- Rotterdam Convention listed ingredients : NO DATA
- Stockholm Convention listed ingredients : NO DATA
- Montreal Protocol listed ingredients : NO DATA

○ Trade secret
- Information of EU Classification
  ▷ Classification : NO DATA
  ▷ Risk Phrases : NO DATA
  ▷ Safety Phrase : NO DATA
- U.S. Federal regulations
  ▷ OSHA PROCESS SAFETY (29CFR1910.119) : NO DATA
  ▷ CERCLA Section 103 (40CFR302.4) : NO DATA
  ▷ EPCRA Section 302 (40CFR355.30) : NO DATA
  ▷ EPCRA Section 304 (40CFR355.40) : NO DATA
  ▷ EPCRA Section 313 (40CFR372.65) : NO DATA
- Rotterdam Convention listed ingredients : NO DATA
- Stockholm Convention listed ingredients : NO DATA
- Montreal Protocol listed ingredients : NO DATA

○ Dodecylphenol, mixed isomers
- Information of EU Classification
  ▷ Classification : NO DATA
  ▷ Risk Phrases : NO DATA
  ▷ Safety Phrase : NO DATA
- U.S. Federal regulations
  ▷ OSHA PROCESS SAFETY (29CFR1910.119) : NO DATA
  ▷ CERCLA Section 103 (40CFR302.4) : NO DATA
  ▷ EPCRA Section 302 (40CFR355.30) : NO DATA
  ▷ EPCRA Section 304 (40CFR355.40) : NO DATA
  ▷ EPCRA Section 313 (40CFR372.65) : NO DATA
- Rotterdam Convention listed ingredients : NO DATA
- Stockholm Convention listed ingredients : NO DATA
- Montreal Protocol listed ingredients : NO DATA

○ Benzyl alcohol
- Information of EU Classification
  ▷ Classification : NO DATA
  ▷ Risk Phrases : NO DATA
  ▷ Safety Phrase : NO DATA
- U.S. Federal regulations
  ▷ OSHA PROCESS SAFETY (29CFR1910.119) : notapplicable
  ▷ CERCLA Section 103 (40CFR302.4) : notapplicable
  ▷ EPCRA Section 302 (40CFR355.30) : notapplicable
  ▷ EPCRA Section 304 (40CFR355.40) : notapplicable
  ▷ EPCRA Section 313 (40CFR372.65) : notapplicable
- Rotterdam Convention listed ingredients : NO DATA
- Stockholm Convention listed ingredients : NO DATA
- Montreal Protocol listed ingredients : NO DATA

○ 2-Butoxyethanol

- Information of EU Classification
  ▷ Classification : NO DATA
  ▷ Risk Phrases : NO DATA
  ▷ Safety Phrase : NO DATA
- U.S. Federal regulations
  ▷ OSHA PROCESS SAFETY (29CFR1910.119) : NO DATA
  ▷ CERCLA Section 103 (40CFR302.4) : NO DATA
  ▷ EPCRA Section 302 (40CFR355.30) : NO DATA
  ▷ EPCRA Section 304 (40CFR355.40) : NO DATA
  ▷ EPCRA Section 313 (40CFR372.65) : NO DATA
- Rotterdam Convention listed ingredients : NO DATA
- Stockholm Convention listed ingredients : NO DATA
- Montreal Protocol listed ingredients : NO DATA

16. Other information

A. Reference
- The information contained herein is believed to be accurate. It is provided independently of any sale of the product

for purpose of hazard communication. It is not intended to constitute performance information concerning the

product. No express warranty, or implied warranty of merchantability or fitness for a particular purpose is made with

respect to the product or the information contained herein.

- This Safety Data Sheet was compiled with data and information from the following sources: KOSHA, NITE, ESIS,NLM, SIDS, IPCS

B. Issue date : 2019-10-02

C. Revision number and Last date revised : 1. 2021-01-13

D. Other : " WWW.NOROO.CO.KR"